

HIHAUS

HIHAUS COMPANY LTD



Website: <https://www.hihausbm.com/>

Office address: Room 2303, Huanshi E Rd 362-366 Yuexiu District, Guangzhou, Guangdong, China

Factory address: Xingye North Road, Hongsha Industrial Zone Shishan Town, Nanhai District Foshan

TEL: +8618922126334



HIHAUS



800+ Skilled workers



20+years Manufacture experience



123,000m² Factory production area



HIHAUS COMPANY LTD

WHOLE HOUSE SPACE SOLUTIONS

Create A Comfortable And Warm Environment For You



01 Living Room

- Casement Windows
- Sliding Windows
- Good Ventilation Effect
- With Net To Protect Against Mosquitoes

02 Bedroom

- Casement Windows
- Sliding Windows
- Good Ventilation Effect
- With Net To Protect Against Mosquitoes

03 Kitchen

- Sliding Doors
- Sliding Windows
- Smoke Blocking
- With Net To Protect Against Mosquitoes

04 Bathroom

- Casement Windows
- Casement Doors
- Safe And Fall Resistant
- Good Sound Insulation

05 Bathroom

- Casement Windows
- Sliding Windows
- Casement Doors
- Good Ventilation
- Good Air Circulation
- Good Sealing Performance

06 Balcony

- Tilt & Turn Windows
- Sliding Doors
- Good Air Circulation
- Wide Field Of Vision



INDEX

About us - - - - -	001 ~ 004
M100 Casement window - - - - -	005 ~ 006
122 Casement window - - - - -	007 ~ 008
85 Tilt And Turn Window - - - - -	009 ~ 010
105 Tilt And Turn Window - - - - -	011 ~ 012
103 Casement window/Door - - - - -	013 ~ 014
N100 Tilt And Turn Window/Door - - - - -	015 ~ 016
109 Passive Window(1.8MM) - - - - -	017 ~ 018
115 Sliding Window(2.0MM) - - - - -	019 ~ 020
118 Sliding Window(1.8MM) - - - - -	021 ~ 022
P100 Slide & Tilt Window - - - - -	023 ~ 024
65 Folding Window/ Door (1.6MM) - - - - -	025 ~ 026
Hihaus Hot Sale Products - - - - -	027 ~ 028
115 Interior Door - - - - -	029 ~ 030
115 Commercial Door/ Store Front - - - - -	031 ~ 032
80 Series Folding Window (2.0MM) - - - - -	033 ~ 034
77 Series Folding Window (2.0MM) - - - - -	035 ~ 036
105 Folding Window (3.0MM) - - - - -	037 ~ 038
4016 Sliding Window - - - - -	039 ~ 040
115 Interior Sliding Door - - - - -	041 ~ 042
70 series NON Thermal break - - - - -	043 ~ 044
135 Narrow Thermal Break - - - - -	045 ~ 046
135 Series Thermal break - - - - -	047 ~ 048
192 Sliding Door - - - - -	049 ~ 050
Garage Door - - - - -	051 ~ 052
Frameless Glass Garage Doors - - - - -	053 ~ 054
Framed Glass Garage Doors- - - - -	055 ~ 056

Aluminum Vertical Strip Garage Door - - - - -	057 ~ 058
Exterior Door Series - - - - -	059 ~ 060
Interior Door & Shower Door- - - - -	061 ~ 062
Interior Door - - - - -	063 ~ 064
Glass Railings - - - - -	065 ~ 066
Curtain Wall- - - - -	067 ~ 068
Opening Mode - - - - -	069 ~ 070
Hot Sale Products Available colors - - - - -	071 ~ 072

ABOUT US

Our History

Our founder established the factory in 2004, aiming to provide quality windows and doors to let the houses protect more families. And today, his two sons inherit his will, and keep expanding the reputation to over sea. Our factory is having now more than 20 years of experience in providing one of China's top 10 branding products. Our factory is located in Foshan, China, with production facilities of more than 123,000 m².

123000m²+

Workshop size

800+

Skilled workers

500000m²+

Annual capacity

2004

Group founding



Our Mission

Better Service, More Value.

Business Scope

Aluminum windows and doors, curtain walls, wooden doors, shower doors, entry doors, handrails, garage door.

Main Markets

China, the Americas, Southeast Asia, Middle East, Australia.

Team Introduction

Highly trained and experienced R&D and quality control teams, and 831 skilled workers actively engaged to create high-end products for you.



Automatic cutting and code scanning





Automatic tapping



SALES NETWORK

Countries & Regions




Main Markets

China, the Americas, Southeast Asia, Middle East, Australia.



CUSTOMER FEEDBACK & CASES



M100 SERIES THERMAL BREAK

CASEMENT WINDOW

Product Data

Aluminum Thickness	1.8mm
Recommend Size	800 x 1500mm(31½ x 59 inch)
Glazing Channel	25mm
Standard Glass	5mm+15A+5mm
Hardware	China Brand / German Hoppe
Mosquito Net	304 Stainless Steel Net

Visible dimensions(mm)

1. Outdoor frame width	69
2. Outdoor vent width	44
3.Frame depth	100
4. Indoor frame width	42
5.Indoor vent width	71



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)



German hardware
fittings



Stainless steel 304
security mesh

 Optional color please see last page





122 SERIES THERMAL BREAK


CASEMENT WINDOW

Product Data

Aluminum Thickness	1.8mm
Recommend Size	750 x 1400mm(29½ x 55⅛ inch)
Glazing Channel	42mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net

Visible dimensions(mm)

1. Outdoor frame width	50
2. Outdoor vent width	79
3. Frame depth	122
4. Indoor frame width	133
5. Indoor vent width	57



Hardware Configuration



 Optional color please see last page



85 SERIES THERMAL BREAK


TILT AND TURN WINDOW

Product Data

Aluminum Thickness	1.8mm
Recommend Size	(370 - 1300) x (530 - 2700)mm (14 ⁴ / ₇ - 51 ¹ / ₆) x (20 ⁷ / ₈ - 106 ² / ₇)inch
Glazing Channel	45mm
Standard Glass	5mm + 12A + 5mm + 12A + 5mm
Hardware	German Brand
Mosquito Net	/

Visible dimensions(mm)

1. Outdoor frame width	57
2. Outdoor vent width	31
3. Frame depth	85
4. Indoor frame width	20
5.Indoor vent width	66



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)



German hardware
fittings



 Optional color please see last page

105 SERIES THERMAL BREAK


TILT AND TURN WINDOW

Product Data

Aluminum Thickness	1.8mm
Recommend Size	(370 - 1300) x (530 - 2700)mm (14 ⁴ / ₇ - 51 ¹ / ₆) x (20 ⁷ / ₈ - 106 ² / ₇)mm
Glazing Channel	45mm
Standard Glass	5mm + 12A + 5mm + 12A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net

Visible dimensions(mm)

1. Outdoor frame width	68
2. Outdoor vent width	20
3. Frame depth	105
4. Indoor frame width	20
5.Indoor vent width	66



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)





D1Y Handle
(Gold / Silver / Black)




German hardware
fittings



Stainless steel 304
security mesh



 Optional color please see last page




103 SERIES THERMAL BREAK
CASEMENT WINDOW/DOOR

Product Data

Aluminum Thickness	Window 1.6mm / Door 1.8mm
Visible Lite Width * Thickness	68 x 88mm(2 ² / ₃ x 3 ⁴ / ₉ inch)
Recommend Size	(450 - 1300) x (650 - 2400)mm (17 ⁵ / ₇ - 51 ¹ / ₆) x (25 ³ / ₅ - 94 ¹ / ₄) inch
Wall Lining Thickness	103mm (4inch)
Side Frame Visible Width Out/In	56mm/26mm
Glazing Channel	38mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net / HD Net

Visible dimensions(mm)

1. Outdoor frame width	56
2. Outdoor vent width	32
3. Frame depth	103
4. Indoor frame width	26
5. Indoor vent width	67



Hardware Configuration



D2 Arc Handle
(Gold / Silver / Black)



D1Y Handle
(Gold / Silver / Black)



Stainless steel 304
security mesh

 Optional color please see last page

N100 SERIES THERMAL BREAK


TILT AND TURN WINDOW/ DOOR

Product Data


Aluminum Thickness	1.8mm
Recommend Size	800 x 1500mm(31½ x 59 inch)
Glazing Channel	42mm
Standard Glass	5mm + 20A + 5mm
Hardware	German Hoppe
Mosquito Net	304 Stainless Steel Net

Visible dimensions(mm)

1. Outdoor frame width	54
2. Outdoor vent width	29
3. Frame depth	100
4. Indoor frame width	20
5. Indoor vent width	66



Hardware Configuration



 Optional color please see last page

109 SERIES THERMAL BREAK


PASSIVE WINDOW(1.8MM)

Product Data

Outer frame Thickness	1.8mm
Interior Visible Lite Width	66 mm (2 5/8" inch)
Wall Lining Thickness	109mm(4 1/4")
Interior Frame visible Width	20mm(3/4" inch)
Glazing Channel	63mm (2 1/2" inch)
Standard Glass	5mm+18A+5mm+18A+5mm
Hardware	German HOPPE

Visible dimensions(mm)

1. Outdoor track height	57
2. Outdoor vent width	30
3.Frame depth	109
4. Indoor track height	20
5.Indoor vent width	66



115 SERIES THERMAL BREAK

SLIDING WINDOW (2.0MM)

Product Data

Recommend Size	(500 -1600) x (600-1800)mm (19 ² / ₃ · 63) x (25 ⁵ / ₈ -70 ⁷ / ₈) inch
Glass notch	34mm
Standard Glass	6mm + 12A + 6mm
Hardware	China Brand
Mosquito Net	304 Stainless Steel Net

Visible dimensions(mm)

1. Outdoor frame width	36
2. Outdoor vent width	55
3.Frame depth	115-148
4. Indoor frame width	36
5.Indoor vent width	55



Hardware Configuration



Sliding Windows Key
(Silver / Gold /Black)



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



Stainless steel 304
security mesh

Optional color please see last page



118 SERIES THERMAL BREAK

SLIDING WINDOW(1.8MM)

Product Data

Outer frame Thickness	1.8mm
Visible Lite Width*Thickness	51*28mm (2" x 1 1/8")
Recommend Height(per sash)	600-1500mm(23 5/8" inch - 59 1/16" inch)
Wall Lining Thickness	118mm(4 5/8" inch)
Frame visible Width	31mm(1 1/4" inch)
Glazing Channel	23mm (7/8" inch)
Standard Glass	5mm+12A+5mm
Hardware	China Brand
Mosquito net	304 Stainless Steel Net

Hardware Configuration



Sliding Windows Key
(Silver / Gold /Black)



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



Stainless steel 304
security mesh



P100 SERIES THERMAL BREAK

SLIDE & TILT WINDOW

Product Data

Outer frame Thickness	1.8 mm
Sash thickness	72mm (8/7 1" inch)
Visible Lite Width * Thickness	72*70mm(4/3 2" x 8/7 2" inch)
Open Way	Sliding and tilt and turn
Wall Lining Thickness	101mm (4" inch)
Frame visible Width	23mm (8/7" inch)
Glazing Channel	48mm (8/7 1" inch)
Standard Glass	5mm + 27A + 5mm
Hardware	China Brand
Mosquito net	304 Stainless Steel Net





65 SERIES NON THERMAL BREAK

FOLDING WINDOW/ DOOR (1.6MM)

Product Data


Visible Lite Width * Thickness	45 x 50mm
Recommend Size	800 x 1500mm(31 ½ x 59 inch)
Wall Lining Thickness	65mm(2 ⅝ inch)
Side Frame Visible Width Out/In	46mm/61mm
Glazing Channel	31mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand
Mosquito Net	N / A - PP Net (optional)
Open Way	Folding

Optional Color

			
Black	White	Coffee	Steel Gray

Hardware Configuration

				
Handle	Cylinder	Lock Body	Bolt	Handle Hinge
				
Roller And Hinge	Roller And Hinge	Hinge	Roller And Hinge	



HIHAUS HOT SALE PRODUCTS



Vertical fold up windows



Vertical pivot window



Awning Window with Gas Struts




Fix Louver



Double hung windows



Hopper window/top-hinged window



Skylight

Optional color please see last page

115 SERIES NARROW FRAME



INTERIOR DOOR

Product Data

Aluminum Thickness	2.0mm
Recommend Size	800 x 2200mm(31½ x 86⅝ inch)
Glazing Channel	11mm / 26mm
Standard Glass	4mm + 12A + 4mm
Hardware	China Brand
Mosquito Net	/

Visible dimensions(mm)

1. Outdoor frame width	16
2. Outdoor vent width	18
3.Frame depth	78
4. Indoor frame width	16
5.Indoor vent width	50



Hardware Configuration



Handle
(Gold / Silver / Black)



Hinge
(Gold / Silver / Black)



115 SERIES THERMAL BREAK

COMMERCIAL DOOR/ STORE FRONT

Product Data

Outer frame Thickness	3mm
Door leaf thickness	60mm(2 3/8" inch)
Wall Lining Thickness	115mm (4 1/2" inch)
Frame visible Width	81mm (3 1/4" inch)
Glazing Channel	30mm (1 1/4" inch)
Standard Glass	5mm+20A+5mm
Hardware	China Brand
ADA threshold	8mm (5/16" inch)
Kick Plate	315mm (12 3/8" inch)

Hardware Configuration



Panic Bar



Long Handle



Stopper



Controller



Continuous Hinge

Door
hinge or




Pivot Hinge





Optional Color



80 SERIES


FOLDING DOOR (2.0MM)

1.7mm Non-Thermal Break	2.0mm Thermal Break
Glass Panel Maximum Size 3200*900mm 118 1/9 * 35 3/7 inch	Glass Panel Maximum Size 3000*900mm 118 1/9 * 35 3/7 inch
Recommend Size Height within 3200mm (126 inch) Door leaf width within 1000mm (39 3/8 inch)	Recommend Size Height within 3200mm (126 inch) Door leaf width within 1000mm (39 3/8 inch)

Product Data

Wall Lining Thickness	80mm (3 1/7 inch)
Side Frame Visible Width Out/In	40/55mm
Glazing Channel	31mm
Standard Glass	5mm+18A+5mm
Hardware	China Top Quality Hardware
Mosquito Net	PP Net (optional)
Open Way	Folding

Hardware Configuration





77 SERIES THERMAL BREAK


FOLDING DOOR (2.0MM)

Product Data

Recommend Size	900 x 3000mm (35 ³ / ₇ x 118 ¹ / ₉ inch)
Glazing Channel	33mm
Standard Glass	5mm + 20A + 5mm
Hardware	Germany Kerssenberg
Mosquito Net	PP Net (optional)

Visible dimensions(mm)

1. Outdoor track height	42
2. Outdoor vent width	58
3. Frame depth	77
4. Indoor track height	54
5. Indoor vent width	58



Hardware Configuration



 Optional color please see last page



105 SERIES
FOLDING DOOR (3.0MM)

Non-thermal break:	Thermal break:
Glass Panel Maximum Size 4727*954mm 186 1/9 * 37 5/9 inch	Glass Panel Maximum Size 3727*954mm 146 3/4 * 37 5/9 inch
Recommend Size Height within 5000mm(196 9/16inch) door leaf width within 1100mm (43 2/7inch)	Recommend Size Height within 4000mm(157 1/2inch) door leaf width within 1100mm(43 2/7inch)


Product Data

Wall Lining Thickness	120mm(4 5/7 inch)
Side Frame Visible Width Out/In	57mm/72mm
Glazing Channel	42mm
Standard Glass	6+25A+6mm
Hardware	China brand
Mosquito Net	Optional
Open Way	Folding

Optional Color

			
Black	White	Coffee	Steel Gray

Hardware Configuration

				
Handle Lock	Latch	Handle	Roller and Hinge	Roller and Hinge
				
Handle	Hinge	Handle Hinge		



Door left



Heavy Duty Strong Rollers



Epdm Sealing Strip



Deadbolt



Handle Lock



4016 SERIES INTERIOR

SLIDING DOOR

Product Data

Aluminum Thickness	1.2mm-2.0mm
Visible Lite Width * Thickness	40 x 40 / 60 x 40mm 1 ⁴ / ₇ x 1 ⁴ / ₇ / 2 ³ / ₈ x 1 ⁴ / ₇ inch
Recommend Size	1000 x 2400 mm(39 ³ / ₈ x 94 ¹ / ₂ inch)
Wall Lining Thickness	105mm / 159mm
Side Frame Visible Width Out/In	22mm/22mm
Glazing Channel	30mm
Standard Glass	8mm
Hardware	China brand
Mosquito Net	Without

Hardware Configuration



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



No.13 Handle
(Black / Silver)



Sliding Door Key
(Gold / Silver/Black)

 Optional color please see last page

115 SERIES NARROW FRAME


INTERIOR SLIDING DOOR

Product Data

Aluminum Thickness	2.0mm
Recommend Size	1000 x 2600mm (80kg) 39 ³ / ₈ x 102 ³ / ₈ inch (80kg)
Glazing Channel	25mm
Standard Glass	4mm + 12A + 4mm
Hardware	OPK Brand/Optional Linkage System
Mosquito Net	N / A

Visible dimensions(mm)

1. Outdoor track height	10
2. Outdoor vent width	16
3. Frame depth	115-172
4. Indoor track height	10
5. Indoor vent width	16



Hardware Configuration



Handle Lock
(Silver / Black)

 Optional color please see last page





70 SERIES NON THERMAL BREAK


SLIDING DOOR

Product Data

Aluminum Thickness	1.6 - 1.8mm
Visible Lite Width * Thickness	70 x 40.5mm (2 ³ / ₄ x 1 ³ / ₅ inch)
Recommend Size	1200 x 2800mm (47 ¹ / ₄ x 110 ¹ / ₄ inch)
Wall Lining Thickness	105mm / 159mm (4 ¹ / ₈ / 6 ¹ / ₄ inch)
Side Frame Visible Width Out/In	33mm/22mm
Glazing Channel	30mm
Standard Glass	5mm + 15A + 5mm
Hardware	China Brand
Mosquito Net	304 Stainless Steel Net

Hardware Configuration

				
High Load Bearing Pulley	Anti-Balance Wheel On Rail	No.13 Handle (Gold / Silve)	Sliding Door Key (Gold / Silve/Black)	Safety Four Point Lock



135 NARROW THERMAL BREAK


SLIDING DOOR

Product Data


Aluminum Thickness	2.5-3.0mm
Recommend Size	3500mm x (3000-4500)mm (137 ⁴ / ₅ x (118 ¹ / ₉ - 177 ¹ / ₆) inch
Glazing Channel	37mm
Standard Glass	8mm+20A+8mm
Hardware	China brand/ Electric system
Mosquito Net	Optional PP net

Visible dimensions(mm)

1. Outdoor track height	68
2. Outdoor vent width	27
3.Frame depth	135-202
4. Indoor track height	68
5.Indoor vent width	27



Hardware Configuration



 Optional color please see last page

135 SERIES THERMAL BREAK


SLIDING DOOR

Product Data

Aluminum Thickness	2.0 - 2.5mm
Recommend Size	(1000 - 2500) x (1800 - 3000)mm (39 ³ / ₈ - 98 ³ / ₇) x (70 ⁷ / ₈ - 118 ¹ / ₉) inch
Glazing Channel	37mm
Standard Glass	5mm + 20A + 5mm
Hardware	China Brand /German Brand
Mosquito Net	304 Stainless Steel Net

Visible dimensions(mm)

1. Outdoor track height	34
2. Outdoor vent width	76
3.Frame depth	135-204
4. Indoor track height	50
5.Indoor vent width	76



Hardware Configuration



GERMAN Lifting
And Security
Locking System



High Load
Bearing Pulley



Anti-Balance
Wheel On Rail



No.13 Handle
(Gold / Silve)



Safety Four
Point Lock



Sliding Door Key
(Gold / Silve/Black)



192 SERIES THERMAL BREAK



SLIDING DOOR

Product Data

Recommend Size	(1000 -2000) x (2100-3000)mm (40·80) x (83 - 118) inch
Glazing Channel	64mm(2 1/2")
Standard Glass	6mm+20A+6mm
Hardware	China Brand+Optional lifting system

Visible dimensions(mm)

1. Outdoor track height	31
2. Outdoor vent width	97
3.Frame depth	192
4. Indoor track height	44
5.Indoor vent width	97




HIHAUS HOT SALE PRODUCTS

GARAGE DOOR



Aluminum glass garage door



Galvanized steel garage door




European-Style garage door



HIHAUS HOT SALE PRODUCTS

(1) FRAMELESS GLASS GARAGE DOORS



Product Data

Aluminum Thickness	3.0mm
Glass Panel	2483*541mm
Recommend Size	Single-Car: 2743 *2134 -2438 mm (9' *7-8') Double-Car: 4877* 2134 -2438 mm (16'*7-8')
Standard Glass	Single 5mm /3mm+0.76pvb+3mm laminated glass
Hardware	China Brand

Optional Color

Black	White	Fluorocarbon Gray
Platinum Grey	Coffee	Champaign Gold

HIHAUS HOT SALE PRODUCTS

(2) FRAMED GLASS GARAGE DOORS



GARAGE DOOR PRODUCT DATA

Product Data


Aluminum Thickness	2.5 mm
Glass Panel	2483*541mm
Recommend Size	Single-Car:2743 *2134 -2438 mm(9'*7-8' Double-Car:4877*2134 -2438 mm(16'*7-8')
Standard Glass	Single 5mm/3mm+0.3pvb+3mm laminated glass
Hardware	China Brand

Optional Color

Black	White	Fluorocarbon Gray
Platinum Grey	Coffee	Champaign Gold



HIHAUS HOT SALE PRODUCTS

(3) ALUMINUM VERTICAL STRIP GARAGE DOOR



Product Data

Aluminum Thickness	3.0mm
Grating Panel thickness 70mm	Material Thickness 0.8 mm
Recommend Size	Single-Car: 2743 *2134 -2438 mm (9' *7-8') Double-Car: 4877* 2134 -2438 mm (16'*7-8')
Hardware	China Brand



Optional Color

Black	White	Fluorocarbon Gray
Platinum Grey	Coffee	Champaign Gold

HIHAUS HOT SALE PRODUCTS

EXTERIOR DOOR SERIES



Optional color please see last page

HIHAUS HOT SALE PRODUCTS

INTERIOR DOOR & SHOWER DOOR

HIHAUS




Optional color please see last page

HIHAUS HOT SALE PRODUCTS

INTERIOR DOOR



Interior Door



Sliding Barn Door



Interior Door



Pocket Sliding Door



HIHAUS HOT SALE PRODUCTS

GLASS RAILINGS



Glass Spigot Railing

The range features a spigot with base plate and core drill mounting and a range of covers to suit new design, convenient to install no holes are required to be drilled in to glass.



U Channel Type Glass Railing









Aluminum u channel railing is specially designed for high-end hotels balconies and apartments we use high-quality laminated tempered glass and good accessories, which can be used for a long time.



HIHAUS HOT SALE PRODUCTS


CURTAIN WALL






HOT SALE PRODUCTS AVAILABLE COLORS


Optional Color



White



Cream



Sandy/Matt Black



Shinning Black



Light Grey



Ivory Grey



Dark Coffee



Grey Wooden
Pattern



Golden Oak



Red Rosewood

HIHAUS

PRODUCT CATALOG

